Date of Plar	1:
--------------	----

Diabetes Medical Management Plan

Effective Dates:						
This plan should be completed by the student's personal health care team and parents/guardian. It should be reviewed with relevant school staff and copies should be kept in a place that is easily accessed by the school nurse, trained diabetes personnel, and other authorized personnel.						
Student's Name:						
Date of Birth:	Date of Diabetes Diagnosis:					
Grade:	Homeroom Teacher:					
Physical Condition: ☐ Diabetes type 1 ☐ Diabetes type 2						
Contact Information						
Mother/Guardian:						
Address:						
Telephone: Home	Work	Cell				
Father/Guardian:						
Address:						
Telephone: Home		Cell				
Student's Doctor/Health Care Provid	er:					
Name:						
Address:						
	Emergency Number:					
Other Emergency Contacts:						
Name:						
Relationship:						
Telephone: Home	Work	Cell				
Notify parents/guardian or emergence	y contact in the following situ	uations:				

Diabetes Medical Management Plan *Continued*

Blood Glucose Monitoring
Target range for blood glucose is □ 70-150 □ 70-180 □ Other
Usual times to check blood glucose
Times to do extra blood glucose checks (<i>check all that apply</i>) □ before exercise □ after exercise □ when student exhibits symptoms of hyperglycemia □ when student exhibits symptoms of hypoglycemia □ other (explain):
Can student perform own blood glucose checks? ☐ Yes ☐ No
Exceptions:
Type of blood glucose meter student uses:
Insulin
Usual Lunchtime Dose Base dose of Humalog/Novolog /Regular insulin at lunch (circle type of rapid-/short-acting insulin used) is units or does flexible dosing using units/ grams carbohydrate. Use of other insulin at lunch: (circle type of insulin used): intermediate/NPH/lente units or basal/Lantus/Ultralente units.
Insulin Correction Doses Parental authorization should be obtained before administering a correction dose for high blood glucose levels. □ Yes □ No
units if blood glucose is to mg/dl
units if blood glucose is to mg/dl
units if blood glucose is to mg/dl
units if blood glucose is to mg/dl
units if blood glucose is to mg/dl
Can student give own injections?
Parents are authorized to adjust the insulin dosage under the following circumstances:
For Students With Insulin Pumps
Type of pump: Basal rates: 12 am to to to
Type of insulin in pump:
Type of infusion set:
Insulin/carbohydrate ratio:Correction factor:

50 Helping the Student with Diabetes Succeed

Diabetes Medical Management Plan *Continued*

Student Pump Abilities/Skills:		Needs Assistance			
Count carbohydrates Bolus correct amount for carbohydrates consumed Calculate and administer corrective bolus Calculate and set basal profiles Calculate and set temporary basal rate Disconnect pump Reconnect pump at infusion set Prepare reservoir and tubing Insert infusion set Troubleshoot alarms and malfunctions For Students Taking Oral Diabetes Medications		☐ Yes ☐ Yes ☐ Yes ☐ Yes ☐ Yes ☐ Yes ☐ Yes ☐ Yes	□ No	Tr.	
Type of medication: Other medications:				Timing:	
Meals and Snacks Eate Is student independent in	n at School carbohydrate calculations a	ınd manaş	gement?	□Yes □No	
Meal/Snack	Time		Food co	ontent/amount	
Breakfast Mid-morning snack Lunch Mid-afternoon snack					
Dinner					
Snack before exercise? Snack after exercise? Other times to give snack Preferred snack foods: Foods to avoid, if any:					
Exercise and Sports					
A fast-acting carbohydrate such as available at the site of exercise or sports.					should be
•	if any:				/ -11
	cise if blood glucose level urine ketones are present.	is below		mg/ai or above_	mg/dl

Diabetes Medical Management Plan *Continued*

Hypoglycemia (Low Blood Sugar)		
Usual symptoms of hypoglycemia:		
Treatment of hypoglycemia:		
Glucagon should be given if the student is unconscious Route, Dosage, site for glucagon injections.		
If glucagon is required, administer it promptly. Then, parents/guardian.	call 911 (or other emergency assistance) and the	
Hyperglycemia (High Blood Sugar)		
Usual symptoms of hyperglycemia:		
Treatment of hyperglycemia:		
Urine should be checked for ketones when blood gluce	ose levels are above mg/dl.	
Treatment for ketones:		
Supplies to be Kept at School Blood glucose meter, blood glucose test strips, batteries for meter Lancet device, lancets, gloves, etc. Urine ketone strips	Insulin pump and suppliesInsulin pen, pen needles, insulin cartridgesFast-acting source of glucoseCarbohydrate containing snack	
Insulin vials and syringes Signatures This Diabetes Medical Management Plan has been	Glucagon emergency kit approved by:	
Student's Physician/Health Care Provider	Date	
	personnel, and other designated staff members of m and carry out the diabetes care tasks as outlined by Plan. I also consent to the release of the information	
contained in this Diabetes Medical Management Plan care of my child and who may need to know this infor	to all staff members and other adults who have custodial mation to maintain my child's health and safety.	
Acknowledged and received by:		
Student's Parent/Guardian	Date	
Student's Parent/Guardian	- Date	